

Specification Sheet

Part Number: MCRI-BS8

Raceway and fittings are manufactured from a UL94 V0 rated material to insure compliance with codes.

All fittings have been designed to maintain the required 1" minimum bend radius to meet TIA/EIA-568-B and 569-A standard.

Raceway and fittings are UL Listed to 600 Volts to meet new UL5A and CSA 22.2 No. 62-93 standards.



InfoStream Multi-Channel Raceway Base with Side Divider, 8 ft Long, PVC, Ivory, 48 ft/pkg

Article Number	250-00035
Type	MCR-BS8
Color	Ivory (IV)
Quantity Per	box
Product Description	Base splice joins two sections of raceway base.
Short Description	InfoStream Multi-Channel Raceway Base with Side Divider, 8 ft Long, PVC, Ivory, 48 ft/pkg
Global Part Name	MCR-BS8-PVC-BGE

Length L (Imperial)	8.0
Length L (Metric)	2.44
Width W (Imperial)	4.5
Width W (Metric)	114.3
Height H (Imperial)	2.05
Height H (Metric)	52.07
Material	Polyvinylchloride (PVC)
Material Shortcut	PVC
Flammability	UL 94 V0
Halogen Free	No
Operating Temperature	+122°F (+50°C)
Reach Compliant (Article 33)	No
ROHS Compliant	Yes
UL Listed (US and Canada)	Yes
UL Listed (US)	Yes

Package Quantity (Imperial)	48
Package Quantity (Metric)	14.63
Customs Number	3925900000

© 2021 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)