

Specification Sheet

Part Number: MCRI-CD10

Raceway and fittings are manufactured from a UL94 V0 rated material to insure compliance with codes.

All fittings have been designed to maintain the required 1" minimum bend radius to meet TIA/EIA-568-B and 569-A standard.

Raceway and fittings are UL Listed to 600 volts to meet new UL5A and CSA 22.2 No. 62-93 standards.

Integrated design of the raceway divider ensures proper separation of power and data cabling per UL/CSA standards.



InfoStream Multi-Channel Raceway Center Divider, 10 ft Long, PVC, Ivory, 120ft/pkg

Article Number 250-00038

Type MCR-CD10

Color Ivory (IV)

Quantity Per box

Product Description Dividers snap onto raceway base rails for proper power and data separation per UL/CSA.

Short Description InfoStream Multi-Channel Raceway Center Divider, 10 ft Long, PVC, Ivory, 120ft/pkg

Global Part Name MCR-CD10-PVC-BGE

Length L (Imperial) 10.0

Length L (Metric) 3.04

Material Polyvinylchloride (PVC)

Material Shortcut PVC

Flammability UL 94 V0

Halogen Free No

Operating Temperature +122°F (+50°C)

Reach Compliant (Article 33) No

ROHS Compliant Yes

Package Quantity (Imperial) 120

Package Quantity (Metric) 36.58

Customs Number 3925900000

© 2021 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)