

## Specification Sheet

Part Number: MCRW-SD8

Raceway and fittings are manufactured from a UL94 V0 rated material to insure compliance with codes.

All fittings have been designed to maintain the required 1" minimum bend radius to meet TIA/EIA-568-B and 569-A standard.

Raceway and fittings are UL Listed to 600 Volts to meet new UL5A and CSA 22.2 No. 62-93 standards.

Integrated design of the raceway divider ensures proper separation of power and data cabling per UL/CSA standards.



InfoStream Multi-Channel Raceway Side Divider, 8' Long, PVC, White, 96 ft/pkg

**Article Number** 250-00056

**Type** MCR-SD8

**Color** White (WH)

**Quantity Per** carton

**Product Description** Dividers snap onto raceway base rails for proper power and data separation per UL/CSA.

**Short Description** InfoStream Multi-Channel Raceway Side Divider, 8' Long, PVC, White, 96 ft/pkg

**Global Part Name** MCR-SD8-PVC-WH

**Length L (Imperial)** 8.0

**Length L (Metric)** 2.43

**Height H (Imperial)** 1.69

**Height H (Metric)** 42.92

**Material** Polyvinylchloride (PVC)

**Material Shortcut** PVC

**Flammability** UL 94 V0

**Halogen Free** No

**Operating Temperature** +122°F (+50°C)

**Reach Compliant (Article 33)** No

**ROHS Compliant** Yes

**Package Quantity (Imperial)** 96.0

**Package Quantity (Metric)**

29.26

**Customs Number**

3925900000

© 2021 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)