


Specification Sheet

Part Number: 251-30309



Grommet, Panel Thickness 0.083"-0.130", PTFE, Natural, 9.7ft/pkg

Article Number

251-30309

Type

G51TC

Color

Natural (NA)

Features & Benefits

- Can be cut to length with scissors, eliminating waste and keeping stock to a minimum.
- Available in 9 sizes, for thicknesses from .016" to .512", insuring proper fit.

Quantity Per

reel

Product Description

HellermannTyton's Flexiform grommet is a unique, continuous wire protection product which fits easily in all shapes and sizes of holes without the aid of tools or adhesives. Flexiform grommet can be used on any type of material including wood, steel, aluminum, plexiglass, and glass.

Short Description	Grommet, Panel Thickness 0.083"-0.130", PTFE, Natural, 9.7ft/pkg
Global Part Name	G51TC-PTFE-NA
Length L (Imperial)	9.7
Variant	Open
Width W (Imperial)	0.224
Width W (Metric)	5.7
Height H (Imperial)	0.169
Height H (Metric)	4.3
Panel Thickness Min(Imperial)	0.083
Panel Thickness Max(Imperial)	0.13
Panel Thickness Min (Metric)	2.10
Panel Thickness Max (Metric)	3.30
Material	Polytetrafluoroethylene (PTFE)
Material Shortcut	PTFE

US MIL SPEC	MS21266-3T
Flammability	UL 94 V0
Halogen free	No
Operating Temperature (Metric)	-76°F to +500°F (-60°C to +260°C)
Reach Complaint(Article 33)	Yes
ROHS Complaint	Yes
Use Conditions	For Indoor Use Only
Package Quantity(Imperial)	9.7
Package Quantity (Metric)	3
Customs Number	3926909988
Content Unit(BMEcat)	reel
Weight (Metric)	0.12