

Specification Sheet

Part Number: 380-03005



Heat Shrink Tubing, 3:1 Assorted Universal Kit, assorted Dia, color & lengths, PO, Assorted Colors, 177 pcs/pkg

Article Number	380-03005
Type	ShrinKit 321 Universal Basic
Color	Red (RD) Green-Yellow (GNYE) Black (BK) Blue (BU) White (WH)
Features & Benefits	<ul style="list-style-type: none">• The assorted universal kit contains 177 pieces of assorted color polyolefin heat shrink tubing in various diameter sizes and lengths.• The 3 to 1 shrink ratio covers a wide range of components, sizes and shapes.• Material is self-extinguishing, for use in applications in which non-flammable materials are required.
Quantity Per	kit

Product Description	Heat shrink kits are a convenient solution for "on-the-job" projects. This 3 to 1 shrink ratio tubing features a flexible, thin wall to cover a wide range of components, sizes and shapes. The polyolefin material has a higher operating temperature range than general-use heat shrink tubing. The assorted universal kit contains an assortment of colored tubing in variety of diameter sizes and lengths.
Short Description	Heat Shrink Tubing, 3:1 Assorted Universal Kit, assorted Dia, color & lengths, PO, Assorted Colors, 177 pcs/pkg
Global Part Name	ShrinKit 321 Universal Basic-PO-X-MIX
Contents of pkg/kit	This compact kit contains a selection of widely used coloured tubing in five sizes and five colours in different lengths. The kit contains 177 pieces in total.
Variant	Thin-Wall
Material	Polyolefin, cross-linked (PO-X)
Material Shortcut	PO-X
Flammability	Self-Extinguishing
Halogen free	No
Operating Temperature (Metric)	-67°F to +275°F (-55°C to +135°C)
Reach Complaint(Article 33)	Yes
ROHS Complaint	Yes

Certification/Specification WEB

SAE - AMS - DTL-23053/5 Class 1

Package Quantity(Imperial)

1

Package Quantity (Metric)

1

Customs Number

3926909988

Content Unit(BMEcat)

pcs.

Weight (Metric)

0.16

© 2020 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)