

## Specification Sheet

Part Number: 404-42010



Easy, time-saving insulation of cable branch point where it splits into single wires

Made of tough, cross-linked, Polyolefin

Adhesive to relieve mechanical tension in cable harnesses

Heat Shrink Molded Shapes, Helashrink 400 Series, 442-1-G, PO-X, BK, 1/bag

Article Number 404-42010

Type 442-1-G

Color Black (BK)

Quantity Per bag

Product Description Helashrink 400 series features branching parts that are used for easy, time-saving insulation of the branch point of a cable where it is split into single wires. They are manufactured from a tough cross-linked flame retarded polyolefin. Branching parts with adhesive also serve to relieve the mechanical tension in cable harnesses whilst providing excellent IP ratings.

Short Description Heat Shrink Molded Shapes, Helashrink 400 Series, 442-1-G, PO-X, BK, 1/bag

Global Part Name	442-1-G-PO-X-BK
Variant	For 4-core cables
Bundle Diameter Min (Metric)	2.5
Bundle Diameter Max (Metric)	10.0
Material	Polyolefin, cross-linked (PO-X)
Material Shortcut	PO-X
Flammability	ASTM D635
UV Resistant (Yes/No)	No
Operating Temperature	-103°F to +302°F (-75°C to +150°C)
ROHS Compliant	Yes
Package Quantity (Imperial)	1
Package Quantity (Metric)	1

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 40 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

© 2024 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)