

## Specification Sheet

Part Number: 422-00101



Heat Shrink Molded Shapes, Low-Profile Convolute Boot, 313C732-9, PO-X, BK, 5/bag

**Article Number**

422-00101

**Type**

313C732-9

**Color**

Black (BK)

**Features & Benefits**

- Used in conjunction with a circular grooved adaptor for strain relief.

**Quantity Per**

bag

**Product Description**

Helashrink 313C series is used with a circular grooved adaptor to provide strain relief and if adhesive is used, excellent environmental sealing can be achieved. The convoluted design provides the flexibility to accommodate different cable outlet angles.

**Short Description**

Heat Shrink Molded Shapes, Low-Profile Convolute Boot, 313C732-9, PO-X, BK, 5/bag

Global Part Name

313C732-9-PO-X-BK

Variant

For plug

Material

Polyolefin, cross-linked (PO-X)

Material Shortcut

PO-X

Flammability

ASTM D635

Operating Temperature (Metric)

-67°F to +248°F (-55°C to +120°C)

Reach Complaint(Article 33)

Yes

ROHS Complaint

Yes

Package Quantity(Imperial)

5

Package Quantity (Metric)

5

Content Unit(BMEcat)

pcs.

Weight (Metric)

0.012

