

Specification Sheet

Part Number: 422-10000



Used to build up or shim a cable diameter

Facilitates better fit for components in cable harness

Heat Shrink Molded Shapes, Low Profile Shim Boot, 313E445-9, PO-X, BK, 5/bag

| | |
|---------------------|---|
| Article Number | 422-10000 |
| Type | 313E445-9 |
| Color | Black (BK) |
| Quantity Per | bag |
| Product Description | Helashrink 313E series is normally used to build up, or shim a cable diameter to facilitate a better fit for components in a cable harness. |
| Short Description | Heat Shrink Molded Shapes, Low Profile Shim Boot, 313E445-9, PO-X, BK, 5/bag |
| Global Part Name | 313E445-9-PO-X-BK |

| | |
|------------------------------|-----------------------------------|
| Variant | For 3-core cables |
| Material | Polyolefin, cross-linked (PO-X) |
| Material Shortcut | PO-X |
| Flammability | ASTM D635 |
| UV Resistant (Yes/No) | No |
| Operating Temperature | -67°F to +248°F (-55°C to +120°C) |
| Reach Compliant (Article 33) | Yes |
| ROHS Compliant | Yes |
| Package Quantity (Imperial) | 5 |
| Package Quantity (Metric) | 5 |

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 40 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

