

## Specification Sheet

Part Number: 556-00250



TT130SMC Compact Thermal Transfer Printer with Cutter, 300 dpi, Black, 1/pkg

**Article Number** 556-00250

**Type** TT130SMC

**Color** Black (BK)

**Features & Benefits**

- Compact, lightweight design saves space and is easy to transport.
- Integrated cutter cuts continuous media to any length.
- Designed to work with TagPrint® Pro label design software for ultimate label printing capabilities.

**Quantity Per** EA

<b>Product Description</b>	HellermannTyton's TT130SMC thermal transfer printer is made of durable materials for long life in a variety of applications and environments. The compact, portable design makes it ideal for transporting to work sites. HellermannTyton thermal transfer printers work flawlessly with HellermannTyton TagPrint® Pro label printing software to create customized labels. An integrated cutter cuts continuous label media and an optional caddy holds larger label stock reels to allow higher capacity printing.
<b>Short Description</b>	TT130SMC Compact Thermal Transfer Printer with Cutter, 300 dpi, Black, 1/pkg
<b>Global Part Name</b>	TT130SMC-PL-BK
<b>Technical Description</b>	Thermal Transfer Printer with Cutter, Black
<b>Length L (Imperial)</b>	10.75
<b>Length L (Metric)</b>	273.05
<b>Width W (Imperial)</b>	5.5
<b>Width W (Metric)</b>	139.7
<b>Height H (Imperial)</b>	6.98
<b>Height H (Metric)</b>	177.29
<b>Material</b>	Plastic (PL)
<b>Material Shortcut</b>	PL

<b>Adhesive Operating Temperature</b>	+40°F to +104°F (+4°C to +40°C)
<b>Operating Temperature</b>	+40°F to +104°F (+4°C to +40°C)
<b>Reach Compliant (Article 33)</b>	Yes
<b>ROHS Compliant</b>	Yes
<b>UL Listed (US and Canada)</b>	Yes
<b>Package Quantity (Imperial)</b>	1
<b>Package Quantity (Metric)</b>	1
<b>Customs Number</b>	8443913000
<b>Weight (Metric)</b>	2.0
<b>Weight (Imperial)</b>	4.41