

## Specification Sheet

Part Number: 556-00443

300 dpi print head for high resolution printing.

Ethernet ready for easy network connectivity.

Floating print head to automatically adjust to varying media thickness such as printable heat shrink tubing.

Optional cutter faceplate for automatic cutting and kitting of printed labels.



TTM430SC Thermal Transfer Printer, 300 dpi, Gray, 1/Pkg

Article Number 556-00443

Type TTM430-SC

Color Various (MIX)

Quantity Per EA

Product Description HellermannTyton's TTM430/TTM460 thermal transfer printers are designed for medium to high volume users of thermal transfer labels and ShrinkTrak. The user-friendly design features a streamlined menu for simple navigation, while the built in caddy allows even the largest label rolls to fit inside the printer. The optional cutter can cut through the thickest material. The TTM430/TTM460 printers are designed to handle all sizes of HellermannTyton's ShrinkTrak markers, and the TTM430/TTM460 can print on even the smallest labels.

Short Description	TTM430SC Thermal Transfer Printer, 300 dpi, Gray, 1/Pkg
Global Part Name	TTM430-SC-DIV-MIX
Length L (Imperial)	16.0
Length L (Metric)	406.4
Width W (Imperial)	9.4
Width W (Metric)	240
Height H (Imperial)	12.28
Height H (Metric)	312
Material	Various (DIV)
Material Shortcut	DIV
UV Resistant (Yes/No)	No
Use Conditions	For Indoor Use Only
Operating Temperature	+40°F to +104°F (+4°C to +40°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes

UL Listed (US and Canada) Yes

UL Listed (US) Yes

Package Quantity (Imperial) 1

Package Quantity (Metric) 1

Customs Number 8443321050