


## Specification Sheet

Part Number: 556-26006



TipTag, 2.59" x .50", PO/Polyester, White/Yellow, 500/roll

**Article Number**

556-26006

**Type**

TIPTAGVA10X65YEWB

**Color**

White (WH) Yellow (YE)

**Features & Benefits**

- Halogen free for low-smoke and low-fire hazard applications.
- White front and yellow back for versatility.
- Superior strength and tear resistance for long lasting identification.
- Pre-cut slots to secure the TipTags using HellermannTyton cable ties.

**Quantity Per**

pack

**Product Description**

TIPTAGs are halogen free, tear resistant, and lightweight cross laminated polyolefin tags ideal for use where weight is a critical factor. Each side is a different color. One side is yellow and the other side is White so that a high contrast black on yellow or black on white mark can be printed.

**Short Description**

TipTag, 2.59" x .50", PO/Polyester, White/Yellow, 500/roll

Global Part Name

TIPTAGVA10X65YEWB-PO-WH/YE

Fixation Method	Others
-----------------	--------

Variant	Other
---------	-------

Width W (Imperial)	2.59
--------------------	------

Width W (Metric)	65.0
------------------	------

Height H (Imperial)	0.5
---------------------	-----

Height H (Metric)	12.7
-------------------	------

Material	Polyolefin (PO)
----------	-----------------

Material Shortcut	PO
-------------------	----

US MIL SPEC	MIL-STD-202G Method 215K
-------------	--------------------------

SAE-AS81531  
Halogen free

Yes	Operating Temperature (Metric)
-----	--------------------------------

-58°F to +221°F (-50°C to +105°C)	Reach Complaint(Article 33)
-----------------------------------	-----------------------------

Yes	ROHS Complaint
-----	----------------

Yes	Certification/Specification WEB
-----	---------------------------------

**Package Quantity(Imperial)**

500

**Package Quantity (Metric)**

500

**Customs Number**

3921905050

**Content Unit(BMEcat)**

reel

**Weight (Metric)**

0.23

**Weight (Imperial)**

0.649