

Specification Sheet

Part Number: 558-00350



Adhesive Labels, Solid Color Continuous Roll, 4.0" x 250', VL, White, 250 ft/roll

| | |
|--------------------------------|--|
| Article Number | 558-00350 |
| Type | HT4WH250 |
| Color | White (WH) |
| Features & Benefits | <ul style="list-style-type: none">• Pre-printed header striped continuous vinyl rolls come in different header colors, providing a variety of printing options.• The headers can be printed with various ARC FLASH, WARNING And CAUTION headlines to meet OSHA safety standards for identifying electrical panels and equipment.• Signs can be designed in Tagprint Pro labeling software and printed with any HellermannTyton thermal transfer printing system with optional cutter attached. |
| Quantity Per | roll |

Product Description

Continuous Vinyl Labels are made with UV-stable materials for long outdoor life. The labels are extruded in the actual color and not colored using surface inks for long-term fade resistance. Vinyl labels are provided in continuous rolls so that the markers can be printed and cut to any length using HellermannTyton thermal transfer printing systems. Good for all surface types except powder coat painted or low surface energy substrates such as polypropylene. Test on these surfaces before approving.

Short Description

Adhesive Labels, Solid Color Continuous Roll, 4.0" x 250', VL, White, 250 ft/roll

Global Part Name

HT4WH250-VYNL-WH

Technical Description

Solid Colored Continuous Roll, 4.0" X 250', Vinyl, White

Length L (Imperial)

250.0

Length L (Metric)

76.20

Variant

3.2mil, 50lb bleached kraft paper

Width W (Imperial)

4.0

Width W (Metric)

101.6

Thickness T (Metric)

64.0

Width of Liner (Metric)

101.6

Width of Liner (imperial)

4.0

Material

Vinyl

Material Shortcut

VYNL

Adhesive

Acrylic

Halogen free

No

UV Resistant (Yes/No)

Yes

Adhesive Operating Temperature

-40°F to +180°F (-40°C to +82°C)

Operating Temperature (Metric)

-40°F to +180°F (-40°C to +82°C)

Reach Complaint(Article 33)

Yes

ROHS Complaint

Yes

Certification/Specification WEB

UL 969

UL Recognized (US)

Yes

Package Quantity(Imperial)

250

Package Quantity (Metric)

76.20

Customs Number

3919102055

Labels per Column

1

Labels per Row

1

Weight (Metric)

1.176

Weight (Imperial)

2.57

© 2019 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)