

Specification Sheet

Part Number: 558-00380



Continuous Colored Signal Panel labels come with yellow or orange stripes for easy printing of caution and warning labels.

Continuous labels allow for designing and cutting labels to any length.

Various widths are available so that a wide variety of sign sizes can be customized and produced on demand.

Thermal Transfer Adhesive Labels, Banded Color Continuous Roll, 2.0 x 250', UV Stable PET, Orange/White, 250 ft/roll

Article Number 558-00380

Type HT2OE50250UV

Color Orange (OG)

Quantity Per roll

Product Description Banded colored continuous rolls come with a stripe (band) for easy printing of warning labels. Available in different widths, these labels are designed for use with TagPrint® Pro software and HellermannTyton thermal transfer printers and can be customized, produced on demand and cut to any length.

Short Description Thermal Transfer Adhesive Labels, Banded Color Continuous Roll, 2.0 x 250', UV Stable PET, Orange/White, 250 ft/roll

Global Part Name HT2OE50250UV-840/281-OG

Length L (Imperial)	250.0
Length L (Metric)	76.2
Variant	3.2mil, 50lb bleached kraft paper
Width W (Imperial)	2.0
Width W (Metric)	50.8
Thickness T (Metric)	64.0
Width of Liner (Metric)	50.8
Width of Liner (Imperial)	2.0
Material	Type 840/281, Polyester, UV-stabilized, clear polyester laminate (840/281)
Material Shortcut	840/281
Adhesive	Acrylic
Halogen Free	Yes
UV Resistant (Yes/No)	Yes
Adhesive Operating Temperature	-40°F to +302°F (-40°C to +150°C)

Operating Temperature	-40°F to +302°F (-40°C to +150°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Certification/Specification	NEC2014 IFC 2012 NEC2011 CSA 66956 UL 969 ANSI Standard Z535.4
UL Recognized (US)	Yes
Package Quantity (Imperial)	250
Package Quantity (Metric)	76.20
Customs Number	3919102055
Labels per Column	1
Labels per Row	1

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2024 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)