

Specification Sheet

Part Number: TAG5J-994

Product Image Ink Jet Label, Self-Laminating, .80" x .50" x 1.63", 40 Per Sheet, PET, White, 1000/pkg

Article Number	593-05994
Type	TAG5J
Color	White (WH)
Features & Benefits	<ul style="list-style-type: none">•HellermannTyton Ink Jet labels are sheet fed for easy loading and fast printing.•Ink Jet labels are made with high temperature materials and adhesives so that they will not be affected by the high heat of laser printing.•Ink Jet labels are printable using toner for long term UV exposure.•Ink Jet labels come in a variety of label sizes and types to fit most applications.
Quantity Per	pack
Product Description	HellermannTyton's ink jet self-laminating labels are smear resistant, allowing them to be handled immediately. The labels are made of a heat resistant 1mm polyester film with a strong acrylic based adhesive. The printable area is a special ink-receptive film that absorbs the ink as it is printed on an ink jet printer.
Short Description	Ink Jet Label, Self-Laminating, .80" x .50" x 1.63", 40 Per Sheet, PET, White, 1000/pkg
Global Part Name	TAG5J-994-WH
Width W (Imperial)	0.8
Width W (Metric)	20.3

Bundle Diameter Min (Imperial)	0.149
Bundle Diameter Min (Metric)	3.80
Bundle Diameter Max (Imperial)	0.32
Bundle Diameter Max (Metric)	8.00
Thickness T (Metric)	35.0
Width of Liner (Metric)	215.00
Width of Liner (imperial)	8.5
Outside Diameter Max(Imperial)	0.315
Outside Diameter Min (metric)	3.8
Outside Diameter Min(Imperial)	0.15
Outside Diameter Max (metric)	8.00
Material	Type 994, Polyethylene Terephthalate (PET)
Material Shortcut	994
Adhesive	Acrylic
Halogen free	No
Adhesive Operating Temperature	-40°F to +176°F (-40°C to +80°C)

Operating Temperature (Metric)

-40°F to +302°F (-40°C to +150°C)

Reach Complaint(Article 33)

Yes

ROHS Complaint

Yes

Package Quantity(Imperial)

1000

Package Quantity (Metric)

1000

Customs Number

3919905060

Labels per Column

4

Labels per Row

10

Weight (Metric)

0.521

Weight (Imperial)

1.14