

## Specification Sheet

Part Number: TAG9J-994

Product Image Ink Jet Label, Self-Laminating, 1.0" x .75" x 2.25", 24 Per Sheet, PET, White, 1000/pkg

<b>Article Number</b>	593-09994
<b>Type</b>	TAG9J
<b>Color</b>	White (WH)
<b>Features &amp; Benefits</b>	<ul style="list-style-type: none"><li>• HellermannTyton Ink Jet labels are sheet fed for easy loading and fast printing.</li><li>• Ink Jet labels are made with high temperature materials and adhesives so that they will not be affected by the high heat of laser printing.</li><li>• Ink Jet labels are printable using toner for long term UV exposure.</li><li>• Ink Jet labels come in a variety of label sizes and types to fit most applications.</li></ul>
<b>Quantity Per</b>	pack
<b>Product Description</b>	Ink Jet labels are durable, ink jet printable markers for applications requiring clear, crisp legibility. The labels are supplied on sheets and are printable using HellermannTyton Tagprint Pro software and a standard ink jet printer. Specially designed adhesives and topcoats accept the ink allowing for easy color printing for specific applications that require colors.
<b>Short Description</b>	Ink Jet Label, Self-Laminating, 1.0" x .75" x 2.25", 24 Per Sheet, PET, White, 1000/pkg
<b>Global Part Name</b>	TAG9J-994-WH
<b>Width W (Imperial)</b>	1.0
<b>Width W (Metric)</b>	25.4

<b>Bundle Diameter Min (Imperial)</b>	0.22
<b>Bundle Diameter Min (Metric)</b>	5.80
<b>Bundle Diameter Max (Imperial)</b>	0.45
<b>Bundle Diameter Max (Metric)</b>	11.60
<b>Thickness T (Metric)</b>	35.0
<b>Width of Liner (Metric)</b>	215.00
<b>Width of Liner (imperial)</b>	8.5
<b>Outside Diameter Max(Imperial)</b>	0.45
<b>Outside Diameter Min (metric)</b>	5.8
<b>Outside Diameter Min(Imperial)</b>	0.22
<b>Outside Diameter Max (metric)</b>	11.60
<b>Material</b>	Type 994, Polyethylene Terephthalate (PET)
<b>Material Shortcut</b>	994
<b>Adhesive</b>	Acrylic
<b>Halogen free</b>	No
<b>Adhesive Operating Temperature</b>	-40°F to +176°F (-40°C to +80°C)

**Operating Temperature (Metric)**

-40°F to +302°F (-40°C to +150°C)

**Reach Complaint(Article 33)**

Yes

**ROHS Complaint**

Yes

**Package Quantity(Imperial)**

1000

**Package Quantity (Metric)**

1000

**Customs Number**

3919905060

**Labels per Column**

3

**Labels per Row**

8

**Weight (Metric)**

0.521

**Weight (Imperial)**

1.14