

Specification Sheet

Part Number: TAG50L-105

Laser printable self-laminating polyester has a smooth surface, allowing for the highest resolution and print contrast.

The material is 1.0 mil thick, allowing it to conform around wires and cable.



The acrylic-based adhesive bonds to a wide variety of substrates and can withstand high temperatures long term.

Lasertags are not affected by the high heat required in a laser printer.

Laser Print Label, Self-Laminating, 1.0" x .96" x 3.16", 21 Per Sheet, PET, White, 1000/pkg

Article Number 594-50105

Type TAG50L

Color White (WH)

Quantity Per pack

Product Description HellermannTyton's self-laminating labels are used for marking wires and cable. The clear tail overlaps and protects the printed information from abrasion, chemicals and solvents and resists UV exposure. When printed using a laser printer, clear marking and high high-contrast imaging against the wire make this the perfect choice for durable identification.

| | |
|---------------------------------|---|
| Short Description | Laser Print Label, Self-Laminating, 1.0" x .96" x 3.16", 21 Per Sheet, PET, White, 1000/pkg |
| Global Part Name | TAG50L-105-WH |
| Width W (Imperial) | 1.0 |
| Width W (Metric) | 25.4 |
| Bundle Diameter Min (Imperial) | 0.39 |
| Bundle Diameter Min (Metric) | 10.10 |
| Bundle Diameter Max (Imperial) | 0.79 |
| Bundle Diameter Max (Metric) | 20.20 |
| Thickness T (Metric) | 35.0 |
| Width of Liner (Metric) | 215.00 |
| Width of Liner (Imperial) | 8.5 |
| Outside Diameter Max (Imperial) | 0.39 |
| Outside Diameter Min (Metric) | 10.1 |
| Outside Diameter Min (Imperial) | 0.79 |
| Outside Diameter Max (Metric) | 20.20 |

| | |
|--------------------------------|-----------------------------------|
| Material | Type 105, Polyester, white (105) |
| Material Shortcut | 105 |
| Adhesive | Acrylic |
| Halogen Free | No |
| Adhesive Operating Temperature | -40°F to +302°F (-40°C to +150°C) |
| Operating Temperature | -40°F to +300°F (-40°C to +149°C) |
| Reach Compliant (Article 33) | Yes |
| ROHS Compliant | Yes |
| Package Quantity (Imperial) | 1000 |
| Package Quantity (Metric) | 1000 |
| Customs Number | 3919905060 |
| Labels per Column | 3 |
| Labels per Row | 8 |

