

Specification Sheet

Part Number: 596-00368

**⚠ WARNING
INVERTER OUTPUT
CONNECTION. DO
NOT RELOCATE
THIS OVERCURRENT
DEVICE.**

Made with UV stable inks and materials for durability and weather resistance

The labels are supplied with aggressive adhesive to ensure long life

Solar Installation labels meet NEC & IFC standards for printed text, character height, color and outdoor UV stability to pass inspections

Solar Label, WARNING INVERTER OUTPUT...OVERCURRENT DEVICE, 4.12" x .75", VL, Red, 50/roll

| | |
|---------------------|--|
| Article Number | 596-00368 |
| Type | IOCOD |
| Color | Red (RD) |
| Quantity Per | roll |
| Product Description | Many times common solar label designs are specified even though they might not be required by code. HellermannTyton offers a selection of some of the most commonly requested labels for use on solar installations. |
| Short Description | Solar Label, WARNING INVERTER OUTPUT...OVERCURRENT DEVICE, 4.12" x .75", VL, Red, 50/roll |
| Global Part Name | IOCOD-V-RD |

| | |
|--------------------------------|--|
| Technical Description | Pre-Printed Solar Label, 4.12" X .75", WARNING - INVERTER OUTPUT CONNECTION, Red |
| Width W (Imperial) | 4.12 |
| Width W (Metric) | 104.6 |
| Height H (Imperial) | 0.75 |
| Height H (Metric) | 19.05 |
| Material | Vinyl (V) |
| Material Shortcut | V |
| Adhesive | Acrylic |
| Halogen Free | Yes |
| Adhesive Operating Temperature | -40°F to +174°F (-40°C to +79°C) |
| Operating Temperature | -40°F to +174°F (-40°C to +79°C) |
| ROHS Compliant | Yes |
| Certification/Specification | UL 969 NEC2011 IFC 2012 |
| Warranty (US) | Yes |

UL Recognized (US) Yes

Package Quantity (Imperial) 50

Package Quantity (Metric) 50

Customs Number 3919102055

Labels per Column 1

Labels per Row 1

© 2022 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)