

## Specification Sheet

Part Number: 596-00401



Foam Nameplate, 1.8" x 1.8" Button Label With 1.8" Hole, PET, White, 500/roll

**Article Number**

596-00401

**Type**

NPLH46X46WH30.5

**Color**

White (WH)

**Features & Benefits**

- Foam Nameplate labels are less costly than plastic or metal engraved plates, saving material costs.
- Foam Nameplate labels conform to textured and other low energy surfaces ensuring the labels stay in place for the life of the product.
- Labels are UV and chemical resistant for long life in an industrial environment.
- Foam nameplate labels are printable using a thermal transfer printer for complete control and on-demand creation of labels.

**Quantity Per**

roll

**Product Description**

Foam Nameplate labels are designed to replace plastic and metal engraved phenolic plates commonly found on electrical control panels. The labels provide the look and feel of a plastic engraved or metal plate, but at a fraction of the cost. Labels can be printed using HellermannTyton Tagprint Pro labeling software and can include printed logos, barcodes and text of almost any size and type.

**Short Description**

Foam Nameplate, 1.8" x 1.8" Button Label With 1.8" Hole, PET, White, 500/roll

**Global Part Name**

NPLH46X46WH30.5-PET-WH

**Technical Description**

Foam Nameplate, 1.8" X 1.8" Button Label With 1.8" Hole, PET, White

**Width W (Imperial)**

1.8

**Width W (Metric)**

45.7

**Height H (Imperial)**

1.80

**Height H (Metric)**

45.70

**Width of Liner (Metric)**

50.8

**Width of Liner (imperial)**

2.0

**Material**

Polyester (PET)

**Material Shortcut**

PET

**Adhesive**

Acrylate with base of acrylic foam

**Halogen free** No

**Adhesive Operating Temperature** -40°F to +176°F (-40°C to +80°C)

**Operating Temperature (Metric)** -40°F to +300°F (-40°C to +149°C)

**Reach Complaint(Article 33)** Yes

**ROHS Complaint** Yes

**Package Quantity(Imperial)** 500

**Package Quantity (Metric)** 500

**Customs Number** 3919102055

**Content Unit(BMEcat)** pcs.

**Labels per Column** 1

**Labels per Row** 1