

## Specification Sheet

Part Number: 596-00557



Foam Nameplate, Rectangular, 3.0" x 4.0", PET, Black, 500/roll

**Article Number**

596-00557

**Type**

NPL76X101BK

**Color**

Black (BK)

### Features & Benefits

- Foam Nameplate labels are less costly than plastic or metal engraved plates, saving material costs.
- Foam Nameplate labels conform to textured and other low energy surfaces ensuring the labels stay in place for the life of the product.
- Labels are UV and chemical resistant for long life in an industrial environment.
- Foam nameplate labels are printable using a thermal transfer printer for complete control and on-demand creation of labels.

**Quantity Per**

roll

### Product Description

Foam Nameplate labels are designed to replace plastic and metal engraved phenolic plates commonly found on electrical control panels. The labels provide the look and feel of a plastic engraved or metal plate, but at a fraction of the cost. Labels can be printed using HellermannTyton Tagprint Pro labeling software and can include printed logos, barcodes and text of almost any size and type.

<b>Short Description</b>	Foam Nameplate, Rectangular, 3.0" x 4.0", PET, Black, 500/roll
<b>Global Part Name</b>	NPL76X101BK-PET-BK
<b>Technical Description</b>	Foam Nameplate, 3" X 4" Rectangular Nameplate, PET, Black
<b>Width W (Imperial)</b>	3.0
<b>Width W (Metric)</b>	76.2
<b>Height H (Imperial)</b>	4.0
<b>Height H (Metric)</b>	101.60
<b>Width of Liner (Metric)</b>	81.28
<b>Width of Liner (imperial)</b>	3.2
<b>Material</b>	Polyester (PET)
<b>Material Shortcut</b>	PET
<b>Adhesive</b>	Acrylate with base of acrylic foam
<b>Halogen free</b>	No
<b>Adhesive Operating Temperature</b>	-40°F to +176°F (-40°C to +80°C)
<b>Operating Temperature (Metric)</b>	-40°F to +302°F (-40°C to +150°C)

<b>Reach Complaint(Article 33)</b>	Yes
------------------------------------	-----

**ROHS Complaint** Yes

<b>Package Quantity(Imperial)</b>	150
-----------------------------------	-----

**Package Quantity (Metric)** 150

<b>Customs Number</b>	3919102055
-----------------------	------------

**Content Unit(BMEcat)** pcs.

<b>Labels per Column</b>	1
--------------------------	---

**Labels per Row** 1

<b>Weight (Metric)</b>	0.22
------------------------	------

**Weight (Imperial)** 0.5