

Specification Sheet

Part Number: 596-00862

NOMINAL OPERATING AC VOLTAGE	██████████
NOMINAL OPERATING AC FREQUENCY	██████████
MAXIMUM AC POWER	██████████
MAXIMUM AC CURRENT	██████████
MAX OVERCURRENT DEVICE RATING FOR AC MODULE PROTECTION	██████████

Metal Solar Placard, Engravable, AC Module, 4.0" x 2.0", AA, Black, 5/pkg

Article Number 596-00862

Type AC2011M5ENG

Color Black (BK)

Features & Benefits

- Placards made with UV stable inks and materials tested to last up to 25 years, even in direct sun exposure.
- Aggressive adhesive ensures strong bond, even on powder coated surfaces.
- Meets or exceeds NEC & IFC standards for printed text, character height, color and outdoor UV stability.
- Optional Paint Shields provide additional protection for pre-printed and variable data placards.

Quantity Per pack

Product Description	Variable data placards are used to mark areas specific to the individual installation, like voltage data. Made of the same durable material as pre-printed metal solar placards, engravable placards are designed to meet industry codes. Engravable placards have a black area that can be engraved using standard engraving equipment.
Short Description	Metal Solar Placard, Engravable, AC Module, 4.0" x 2.0", AA, Black, 5/pkg
Global Part Name	AC2011M5ENG-AA-BK
Technical Description	4" X 2" Black text on aluminum background that reads as: "NOMINAL AC VOLTAGE;NOMINAL OPERATING AC FREQUENCY;MAXIMUM AC POWER;MAXIMUM AC CURRENT;MAXIMUM OVERCURRENT DEVICE RATING FOR AC MODULE PROTECTION." 10 per pack. Nameplate can be used with standard engraving equipment to add variable data.
Length L (Imperial)	4.0
Length L (Metric)	101.6
Width W (Imperial)	4.0
Width W (Metric)	101.6
Height H (Imperial)	2.0
Height H (Metric)	50.80
Material	Anodized Aluminum (AA)

Material Shortcut	AA
Adhesive	Ultra High Bond Permanent Acrylic Adhesive
Halogen Free	No
Adhesive Operating Temperature	from +50°F (from +10°C)
Operating Temperature	-40°F to +203°F (-40°C to +95°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Certification/Specification	NEC2017 NEC2014
Warranty (US)	Yes
Package Quantity (Imperial)	5
Package Quantity (Metric)	5
Customs Number	7616995195
Labels per Column	1
Labels per Row	1
Weight (Metric)	.104
Weight (Imperial)	0.23

© 2021 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)