

## Specification Sheet

Part Number: 596-03942



Solar Label Value Pack, NEC2017, Red/Orange, 45 per kit, 1/pkg

**Article Number** 596-03942

**Type** 2017KIT

**Color** Red (RD)

### Features & Benefits

- The most complete collection of required PV labels in one package, saving you time with one-order simplicity.
- ALL labels are NEC 2017 compliant, eliminating guesswork and the risk of a failed inspection due to nonconforming labeling.
- Long-lasting, permanent adhesive ensures high-performance results on a variety of metals, paints and man-made materials.

**Quantity Per** pack

**Product Description**

The HellermannTyton Solar Label Value Pack contains an assortment of the labels required for NEC 2017 code compliance. All labels are made from UV stable vinyl and dye-based inks and protected by a weather-resistant laminate. A permanent adhesive adds to their lasting performance. This label kit is a convenient, low-cost solution for helping to ensure your solar installation passes inspection.

**Short Description**

Solar Label Value Pack, NEC2017, Red/Orange, 45 per kit, 1/pkg

**Global Part Name**

2017KIT-416/281-RD

## Contents of pkg/kit

- (6) 1" x 6.5" WARNING: PHOTOVOLTAIC POWER SOURCE
- (1) 1" x 6.5" RAPID SHUTDOWN SWITCH FOR SOLAR PV SYSTEM
- (1) 1" x 6.5" DO NOT DISCONNECT UNDER LOAD
- (2) 1" x 5" DC PHOTOVOLTAIC SOURCE CIRCUIT
- (1) 4" x 6" SOLAR PV SYSTEM EQUIPPED WITH RAPID SHUTDOWN (Red)
- (1) 4" x 6" SOLAR PV SYSTEM EQUIPPED WITH RAPIC SHUTDOWN (Yellow)
- (1) 1.75" x 5.5" PHOTOVOLTAIC SYSTEM EQUIPPED WITH RAPID SHUTDOWN
- (1) 1.75" x 5.5" MAIN PHOTOVOLTAIC SYSTEM AC DISCONNECT
- (1) 1" x 3.75" PHOTOVOLTAIC DC DISCONNECT
- (1) 1" x 3.75" PHOTOVOLTAIC AC DISCONNECT
- (1) 1" x 4" DC JUNCTION BOX
- (1) 1" x 4" PHOTOVOLTAIC SYSTEM kWh METER
- (1) 1" x 4" DC COMBINER BOX
- (1) 1" x 4" CAUTION: DO NOT INSTALL ADD'L LOADS IN THIS PANEL
- (1) 2" x 4.125" WARNING ELECTRICAL SHOCK HAZARD (Ground Fault)
- (1) 1" x 4.125" WARNING ELECTRICAL SHOCK HAZARD (DC Conductors)
- (1) 2" x 4" WARNING THIS SERVICE METER IS ALSO SERVED BY A PHOTOVOLTAIC SYSTEM
- (1) 2" x 4" WARNING THIS EQUIPMENT FED...AMPACITY OF BUSBAR
- (2) 2" x 4" WARNING DUAL POWER SUPPLY, ETC.
- (2) 2" x 3.75" ELECTRICAL SHOCK HAZARD, ETC.
- (1) 1" x 4" WARNING PV SOURCE CIRCUIT
- (1) 1" x 4" CAUTION INVERTER INPUT CIRCUIT
- (3) 0.75" x 4.125" WARNING POWER SOURCE...OVERCURRENT DEVICE
- (2) 0.75" x 4.125" CAUTION PHOTOVOLTAIC SYSTEM CIRCUIT IS BACKFED
- (1) 1" x 3.75" PHOTOVOLTAIC AC DISCONNECT
- (2) 1.75" x 3.75" MAXIMUM VOLTAGE/MAXIMUM CIRCUIT CURRENT
- (4) 1" x 6.5" CAUTION: SOLAR CIRCUIT
- (1) 1" x 6.5" CAUTION: SOLAR ELECTRIC SYSTEM CONNECTED
- (1) 3.75" x 5" Circuit Labels Sheet, 6 Each

## Material

Type 416/281, UV-stabilized flexible white vinyl with clear polyester laminate (416/281)

|                                   |            |
|-----------------------------------|------------|
| <b>Material Shortcut</b>          | 416/281    |
| <b>Adhesive</b>                   | Acrylic    |
| <b>Halogen free</b>               | Yes        |
| <b>ROHS Complaint</b>             | Yes        |
| <b>Package Quantity(Imperial)</b> | 1          |
| <b>Package Quantity (Metric)</b>  | 1          |
| <b>Customs Number</b>             | 3919905060 |
| <b>Weight (Metric)</b>            | .09        |
| <b>Weight (Imperial)</b>          | .20        |