

## Specification Sheet

Part Number: 596-96255



Paint Mask Label, 1.0" x 0.75" x 4.75", 1 Across, Polyester, White, 1000/roll

<b>Article Number</b>	596-96255
<b>Type</b>	PW.25W1P
<b>Color</b>	White (WH)
<b>Features &amp; Benefits</b>	<ul style="list-style-type: none"><li>• Paint Mask Labels provide permanent paint protection but can still be removed at any time when required.</li><li>• Paint Mask Labels withstand chemicals and heat to survive the painting process.</li></ul>
<b>Quantity Per</b>	roll
<b>Product Description</b>	HellermannTyton thermal transfer self-laminating Paint Mask Labels are conformable with a white printable surface followed by a clear tail that laminates the printed text when applied to a wire or cable. The labels utilize an aggressive acrylic adhesive that allows the label to bond to large and small diameter wires.

<b>Short Description</b>	Paint Mask Label, 1.0" x 0.75" x 4.75", 1 Across, Polyester, White, 1000/roll
<b>Global Part Name</b>	PW.25W1P-PET-WH
<b>Technical Description</b>	Paint Mask Label, 1.0" X .75" X 4.75", 1 across,1 piece design, .25" cable diameter, Polyester, White, 1000/RL
<b>Width W (Imperial)</b>	1.0
<b>Width W (Metric)</b>	25.4
<b>Bundle Diameter Min (Imperial)</b>	.125
<b>Bundle Diameter Min (Metric)</b>	3.17
<b>Bundle Diameter Max (Imperial)</b>	.375
<b>Bundle Diameter Max (Metric)</b>	9.52
<b>Thickness T (Metric)</b>	64.0
<b>Height H (Imperial)</b>	0.75
<b>Height H (Metric)</b>	19.0
<b>Width of Liner (Metric)</b>	50.8
<b>Width of Liner (imperial)</b>	2.0

<b>Material</b>	Polyester Film (PET)
<b>Material Shortcut</b>	PET
<b>Adhesive</b>	Acrylic
<b>US MIL SPEC</b>	MIL-STD-810G MIL-STD-202
<b>Halogen free</b>	No
<b>Adhesive Operating Temperature</b>	-40°F to +302°F (-40°C to +150°C)
<b>Operating Temperature (Metric)</b>	-40°F to +300°F (-40°C to +149°C)
<b>Reach Complaint(Article 33)</b>	Yes
<b>ROHS Complaint</b>	Yes
<b>Package Quantity(Imperial)</b>	1000
<b>Package Quantity (Metric)</b>	1000
<b>Customs Number</b>	3919102055
<b>Labels per Column</b>	1
<b>Labels per Row</b>	1
<b>Weight (Metric)</b>	0.68

**Weight (Imperial)**

1.48