


## Specification Sheet

Part Number: 596-96256



Paint Mask Label, 2.0" x 1.0" x 7.438", 1 Across, Polyester, White, 500/roll

<b>Article Number</b>	596-96256
<b>Type</b>	PW.50W2P
<b>Color</b>	White (WH)
<b>Features &amp; Benefits</b>	<ul style="list-style-type: none"><li>• Paint Mask labels provide permanent paint protection but can still be removed at any time when required.</li><li>• Paint Mask labels withstand chemicals and heat to survive the painting process.</li></ul>
<b>Quantity Per</b>	roll
<b>Product Description</b>	HellermannTyton thermal transfer self-laminating Paint Mask Labels are conformable with a white printable surface followed by a clear tail that laminates the printed text when applied to a wire or cable. The labels utilize an aggressive acrylic adhesive that allows the label to bond to large and small diameter wires.
<b>Short Description</b>	Paint Mask Label, 2.0" x 1.0" x 7.438", 1 Across, Polyester, White, 500/roll

**Global Part Name**

PW.50W2P-PET-WH

**Technical Description**

Paint Mask Label, 2.0" X 1.0" X 7.438", 1 across,1 piece design, .50" cable diameter, Polyester, White, 500/RL

**Width W (Imperial)**

2.0

**Width W (Metric)**

50.8

**Bundle Diameter Min (Imperial)**

.375

**Bundle Diameter Min (Metric)**

9.52

**Bundle Diameter Max (Imperial)**

.625

**Bundle Diameter Max (Metric)**

15.8

**Thickness T (Metric)**

64.0

**Height H (Imperial)**

1.5

**Height H (Metric)**

38.1

**Width of Liner (Metric)**

76.2

**Width of Liner (imperial)**

3.0

**Material**

Polyester Film

**Material Shortcut**

PET

**Adhesive**

Acrylic

**MIL-STD-810G**

**US MIL SPEC**

**MIL-STD-202**

**Halogen free**

No

**Adhesive Operating Temperature**

-40°F to +302°F (-40°C to +150°C)

**Operating Temperature (Metric)**

-40°F to +300°F (-40°C to +149°C)

**Reach Complaint(Article 33)**

Yes

**ROHS Complaint**

Yes

**Package Quantity(Imperial)**

500

**Package Quantity (Metric)**

500

**Customs Number**

3919102055

**Labels per Column**

1

**Labels per Row**

1

**Weight (Metric)**

0.68

**Weight (Imperial)**

1.48

