


Specification Sheet

Part Number: 596-96258



Paint Mask Labels provide permanent paint protection but can still be removed at any time when required.

Paint Mask Labels withstand chemicals and heat to survive the painting process.

Paint Mask Label, 2.0" x 1.5" x 4.375", 1 Across, Polyester, White, 500/roll

Article Number	596-96258
Type	PW2.75W2P
Color	White (WH)
Quantity Per	roll
Product Description	HellermannTyton thermal transfer self-laminating Paint Mask Labels are conformable with a white printable surface followed by a clear tail that laminates the printed text when applied to a wire or cable. The labels utilize an aggressive acrylic adhesive that allows the label to bond to large and small diameter wires.
Short Description	Paint Mask Label, 2.0" x 1.5" x 4.375", 1 Across, Polyester, White, 500/roll
Global Part Name	PW2.75W2P-PET-WH

Width W (Imperial)	2.0
Width W (Metric)	50.8
Bundle Diameter Min (Imperial)	.625
Bundle Diameter Min (Metric)	15.8
Bundle Diameter Max (Imperial)	.875
Bundle Diameter Max (Metric)	22.2
Thickness T (Metric)	64.0
Height H (Imperial)	1.5
Height H (Metric)	38.1
Width of Liner (Metric)	106.6
Width of Liner (Imperial)	4.2

Material Polyester Film (PET)

Material Shortcut PET

Adhesive Acrylic

US MIL SPEC	MIL-STD-202 MIL-STD-810G
Halogen Free	No
UV Resistant (Yes/No)	No
Adhesive Operating Temperature	-40°F to +302°F (-40°C to +150°C)
Operating Temperature	-40°F to +300°F (-40°C to +149°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	500
Package Quantity (Metric)	500
Customs Number	3919102055
Labels per Column	1
Labels per Row	1

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2024 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)