

## Specification Sheet

Part Number: 596-96260



Paint Mask Label, 1.0" X 1.0" X 7.438", 1 Across, Vinyl, White, 500/RL

**Article Number**

596-96260

**Type**

PW.50W1

**Color**

White (WH)

**Features & Benefits**

- Paint Mask Labels provide permanent paint protection but can still be removed at any time when required.
- Paint Mask Labels withstand chemicals and heat to survive the painting process.

**Quantity Per**

roll

**Product Description**

HellermannTyton thermal transfer self-laminating Paint Mask Labels are conformable with a white printable surface followed by a clear tail that laminates the printed text when applied to a wire or cable. The labels utilize an aggressive acrylic adhesive that allows the label to bond to large and small diameter wires.

**Short Description**

Paint Mask Label, 1.0" X 1.0" X 7.438", 1 Across, Vinyl, White, 500/RL

**Global Part Name**

PW.50W1-V-WH

**Technical Description**

Paint Mask Label, 1.0" X 1.0" X 7.438", 1 across,1 piece design, .50" cable diameter, Vinyl, White, 500/RL

**Width W (Imperial)**

1.0

**Width W (Metric)**

25.4

**Bundle Diameter Min (Imperial)**

.375

**Bundle Diameter Min (Metric)**

9.52

**Bundle Diameter Max (Imperial)**

.625

**Bundle Diameter Max (Metric)**

15.8

**Thickness T (Metric)**

64.0

**Height H (Imperial)**

1.5

**Height H (Metric)**

38.1

**Width of Liner (Metric)**

76.2

**Width of Liner (imperial)**

3.0

**Material**

Vinyl

**Material Shortcut**

V

<b>Adhesive</b>	Acrylic
<b>Halogen free</b>	No
<b>Adhesive Operating Temperature</b>	-51°F to +200°F (-46°C to +93°C)
<b>Operating Temperature (Metric)</b>	-40°F to +194°F (-40°C to +90°C)
<b>Reach Complaint(Article 33)</b>	Yes
<b>ROHS Complaint</b>	Yes
<b>Certification/Specification WEB</b>	UL-Recognized
<b>UL Recognized (US)</b>	Yes
<b>Package Quantity(Imperial)</b>	500
<b>Package Quantity (Metric)</b>	500
<b>Customs Number</b>	3919102055
<b>Labels per Column</b>	1
<b>Labels per Row</b>	1
<b>Weight (Metric)</b>	0.68
<b>Weight (Imperial)</b>	1.48

