


Specification Sheet

Part Number: 596-96261



Paint Mask Labels provide permanent paint protection but can still be removed at any time when required.

Paint Mask Labels withstand chemicals and heat to survive the painting process.

Paint Mask Label, 1.0" x 1.0" x 7.438", 1 Across, Polyester, White, 500/roll

Article Number 596-96261

Type PW.50W1P

Color White (WH)

Quantity Per roll

Product Description HellermannTyton thermal transfer self-laminating Paint Mask Labels are conformable with a white printable surface followed by a clear tail that laminates the printed text when applied to a wire or cable. The labels utilize an aggressive acrylic adhesive that allows the label to bond to large and small diameter wires.

Short Description Paint Mask Label, 1.0" x 1.0" x 7.438", 1 Across, Polyester, White, 500/roll

Global Part Name PW.50W1P-PET-WH

Width W (Imperial) 1.0

Width W (Metric) 25.4

Bundle Diameter Min (Imperial) .375

Bundle Diameter Min (Metric) 9.52

Bundle Diameter Max (Imperial) .625

Bundle Diameter Max (Metric) 15.8

Thickness T (Metric) 64.0

Height H (Imperial) 1.5

Height H (Metric) 38.1

Width of Liner (Metric) 76.2

Width of Liner (Imperial) 3.0

Material Polyester Film (PET)

Material Shortcut PET

Adhesive Acrylic

US MIL SPEC	MIL-STD-810G MIL-STD-202
Halogen Free	No
UV Resistant (Yes/No)	No
Adhesive Operating Temperature	-40°F to +302°F (-40°C to +150°C)
Operating Temperature	-40°F to +300°F (-40°C to +149°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	500
Package Quantity (Metric)	500
Customs Number	3919102055
Labels per Column	1
Labels per Row	1

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

