

## Specification Sheet

Part Number: RJ45FC6-GRN



Category 6 jack has been uniquely designed adopting HellermannTyton's globally tried and tested 10-Pin technology which guarantees superior performance and connectivity. Standard keystone style interface provides flexibility in connecting components. Unique strain relief design secures cable terminations. Configured to both TIA 568A and 568B wiring schemes for installation versatility. Suitable for air handling spaces, ideal for installation of WAPs and IP devices.

Category 6 Modular Keystone Jack, Plenum Rated, Green, 1/pkg

<b>Article Number</b>	852-25070
<b>Type</b>	RJ45FC6-GRN
<b>Color</b>	Green (GN)
<b>Quantity Per</b>	bag
<b>Product Description</b>	HellermannTyton's GigaBand flush Category 6 modular jack is designed to “future-proof” installations. Its patented design uses innovative crosstalk-cancellation technology. The performance of the GigaBand system provides significant margin over TIA Category 6 (ANSI/TIA-568-C.1) and ISO Class E (ISO/IEC-11801, 2nd edition) requirements. The GigaBand system will easily support applications such as Gigabit Ethernet. ETL tested and approved for Category 6 component compliance.

<b>Short Description</b>	Category 6 Modular Keystone Jack, Plenum Rated, Green, 1/pkg
<b>Global Part Name</b>	RJ45FC6-GRN
<b>Technical Description</b>	The performance of the Cat6 system provides significant margin over TIA Cat6 and ISO/IEC 11801 requirements.
<b>Port Count</b>	1
<b>Width W (Imperial)</b>	4.75
<b>Width W (Metric)</b>	19.0
<b>Height H (Imperial)</b>	4.91
<b>Height H (Metric)</b>	23.0
<b>Depth D (Imperial)</b>	1.65
<b>Depth D (Metric)</b>	42.0
<b>UL Listed (US and Canada)</b>	Yes
<b>UL Listed (US)</b>	Yes
<b>Package Quantity (Imperial)</b>	1

<b>Package Quantity (Metric)</b>	1
<b>Customs Number</b>	8536695050
<b>Weight (Metric)</b>	0.010

© 2021 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)