

## Specification Sheet

Part Number: CL-B30-10



Rapid installation requiring no specialized tools saves time and money. Highly repeatable – the quality of the seal is not dependent on the skill of the engineer.

Tested beyond a 20-foot water head (58.8kPa), exhibiting excellent sealing properties.

Cablelok B30 13.0 -16.5 mm x 10, CR, Black, 1/pkg

|                            |   |
|----------------------------|---|
| <b>Article Number</b>      | 857-50146   |
| <b>Type</b>                | CABLELOK-B30-10   |
| <b>Color</b>               | Black (BK)  |
| <b>Quantity Per</b>        | bag   |
| <b>Product Description</b> | HellermannTyton's patented Cablelok mechanical seal enables fast, safe cable installation, providing a repeatable and consistent seal between the cable and the closure port with excellent non-leak performance. Installation times are typically reduced by up to 90 percent. |
| <b>Short Description</b>   | Cablelok B30 13.0 -16.5 mm x 10, CR, Black, 1/pkg   |
| <b>Global Part Name</b>    | CABLELOK-B30-10   |

|                                     |  |
|-------------------------------------|--|
| <b>Technical Description</b>        | The B Port Cablelok is a mechanical seal manufactured from external grade flexible polychloroprene. There are 4 Cablelok's which cover a cable range of 4.8mm – 16.5mm including a port plug for blocking unused B sized drop ports. |
| <b>Contents of pkg/kit</b>          | 10 x CABLELOK-B30(B2), 10 x Lubricating Wipes  |
| <b>Port Count</b>                   | 1  |
| <b>Variant</b>                      | Round - B  |
| <b>Material</b>                     | Chloroprene Rubber (CR)  |
| <b>Material Shortcut</b>            | CR   |
| <b>Reach Compliant (Article 33)</b> | Yes  |
| <b>Package Quantity (Imperial)</b>  | 10   |
| <b>Package Quantity (Metric)</b>    | 10   |
| <b>Customs Number</b>               | 9030400000   |

