

## Specification Sheet

Part Number: CL-B10-10



Cablelok B10 4.8 - 9.0 mm x 10, CR, Black, 1/pkg

**Article Number**

857-50150

**Type**

CABLELOK-B10-10

**Color**

Black (BK)

**Features & Benefits**

- Rapid installation requiring no specialized tools saves time and money.
- Highly repeatable – the quality of the seal is not dependent on the skill of the engineer.
- Tested beyond a 20-foot water head (58.8kPa), exhibiting excellent sealing properties.

**Quantity Per**

bag

**Product Description**

HellermannTyton's patented Cablelok mechanical seal enables fast, safe cable installation, providing a repeatable and consistent seal between the cable and the closure port with excellent non-leak performance. Installation times are typically reduced by up to 90 percent.

|                                    |  |
|------------------------------------|--|
| <b>Short Description</b>           | Cablelok B10 4.8 - 9.0 mm x 10, CR, Black, 1/pkg   |
| <b>Global Part Name</b>            | CABLELOK-B10-10  |
| <b>Technical Description</b>       | The B Port Cablelok is a mechanical seal manufactured from external grade flexible polychloroprene. There are 4 Cablelok's which cover a cable range of 4.8mm – 16.5mm including a port plug for blocking unused B sized drop ports. |
| <b>Contents of pkg/kit</b>         | 10 x CABLELOK-B10(B4), 10 x Lubricating Wipes  |
| <b>Port Count</b>                  | 1  |
| <b>Variant</b>                     | Round - B  |
| <b>Material</b>                    | Chloroprene Rubber (CR)  |
| <b>Material Shortcut</b>           | CR   |
| <b>Reach Complaint(Article 33)</b> | Yes  |
| <b>Package Quantity(Imperial)</b>  | 10   |
| <b>Package Quantity (Metric)</b>   | 10   |
| <b>Customs Number</b>              | 9030400000   |

**Content Unit(BMEcat)**

pcs.

© 2020 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)