

## Specification Sheet

Part Number: CL-L30C-01



Cablelok L30C 12.0 - 15.0 mm x 1, CR, Black, 1/pkg

<b>Article Number</b>	857-50191
<b>Type</b>	CABLELOK-L30C-01
<b>Color</b>	Black (BK)
<b>Features &amp; Benefits</b>	<ul style="list-style-type: none"><li>• Rapid installation requiring no specialized tools saves time and money.</li><li>• Highly repeatable – the quality of the seal is not dependent on the skill of the engineer.</li><li>• Tested beyond a 20-foot water head (58.8kPa), exhibiting excellent sealing properties.</li></ul>
<b>Quantity Per</b>	bag
<b>Product Description</b>	HellermannTyton's patented Cablelok mechanical seal enables fast, safe cable installation, providing a repeatable and consistent seal between the cable and the closure port with excellent non-leak performance. Installation times are typically reduced by up to 90 percent.

<b>Short Description</b>	Cablelok L30C 12.0 - 15.0 mm x 1, CR, Black, 1/pkg
<b>Global Part Name</b>	CABLELOK-L30C-01
<b>Technical Description</b>	The L Port Cablelok is a mechanical seal manufactured from Neoprene rubber, Minlon and Acetal. There are 6 Cablelok's which cover a cable range of 5.5mm – 20.0mm five of which have a dual outlet for loop through applications, the sixth being a port plug for blocking unused L sized drop ports.
<b>Contents of pkg/kit</b>	1 x CABLELOK-L30C(L1C), 1 x Allen K1 ey, 20 x Lubricating Wipes
<b>Port Count</b>	2
<b>Variant</b>	Oval - L
<b>Material</b>	Chloroprene Rubber (CR)
<b>Material Shortcut</b>	CR
<b>Reach Compliant (Article 33)</b>	Yes
<b>Package Quantity (Imperial)</b>	1
<b>Package Quantity (Metric)</b>	1
<b>Customs Number</b>	9030400000

© 2020 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)