

Specification Sheet

Part Number: CL-LM30C-10



Rapid installation requiring no specialized tools saves time and money. Highly repeatable – the quality of the seal is not dependent on the skill of the engineer. Tested beyond a 20-foot water head (58.8kPa), exhibiting excellent sealing properties.

Cablelok LM30C 2 X 9.0 - 12.5 mm x 10, CR, Black, 1/pkg

Article Number	857-50208
Type	CABLELOK-LM30C-10
Color	Black (BK)
Quantity Per	bag
Product Description	HellermannTyton's patented Cablelok mechanical seal enables fast, safe cable installation, providing a repeatable and consistent seal between the cable and the closure port with excellent non-leak performance. Installation times are typically reduced by up to 90 percent.
Short Description	Cablelok LM30C 2 X 9.0 - 12.5 mm x 10, CR, Black, 1/pkg
Global Part Name	CABLELOK-LM30C-10

Technical Description	The LM Port Cablelok is a mechanical seal manufactured from Neoprene rubber, Minlon and Acetal. There are 5 Cablelok's which cover a cable range of 4.8mm – 15.0mm four of which have a dual outlet for loop through applications, the fifth being a port plug for blocking unused LM sized drop ports.
Contents of pkg/kit	10 X CABLELOK-LM30C, 1 x Allen Key, 20 x Lubricating Wipe
Port Count	2
Variant	Oval - LM
Material	Chloroprene Rubber (CR)
Material Shortcut	CR
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	10
Package Quantity (Metric)	10
Customs Number	9030400000

© 2021 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)