

## Specification Sheet

Part Number: CL-LM40C-01



Cablelok LM40C 2 X 12.5 - 15.0 mm x 1, CR, Black, 1/pkg

**Article Number**

857-50209

**Type**

CABLELOK-LM40C-01

**Color**

Black (BK)

**Features & Benefits**

- Rapid installation requiring no specialized tools saves time and money.
- Highly repeatable – the quality of the seal is not dependent on the skill of the engineer.
- Tested beyond a 20-foot water head (58.8kPa), exhibiting excellent sealing properties.

**Quantity Per**

bag

**Product Description**

HellermannTyton's patented Cablelok mechanical seal enables fast, safe cable installation, providing a repeatable and consistent seal between the cable and the closure port with excellent non-leak performance. Installation times are typically reduced by up to 90 percent.

<b>Short Description</b>	Cablelok LM40C 2 X 12.5 - 15.0 mm x 1, CR, Black, 1/pkg
<b>Global Part Name</b>	CABLELOK-LM40C-01
<b>Technical Description</b>	The LM Port Cablelok is a mechanical seal manufactured from Neoprene rubber, Minlon and Acetal. There are 5 Cablelok's which cover a cable range of 4.8mm – 15.0mm four of which have a dual outlet for loop through applications, the fifth being a port plug for blocking unused LM sized drop ports.
<b>Contents of pkg/kit</b>	1 X CABLELOK-LM40C, 1 x Allen Key, 2 x Lubricating Wipe
<b>Port Count</b>	2
<b>Variant</b>	Oval - LM
<b>Material</b>	Chloroprene Rubber (CR)
<b>Material Shortcut</b>	CR
<b>Package Quantity(Imperial)</b>	1
<b>Package Quantity (Metric)</b>	1
<b>Customs Number</b>	9030400000
<b>Content Unit(BMEcat)</b>	pcs.

© 2020 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)