

## Specification Sheet

Part Number: RNA4UCN

4U of vertical space can accommodate up to 16 RapidNet cassettes  
Port labeling and identification both front and rear

Hinged front and rear doors offer protection for cable to both the front and rear of the panel



RapidNet Distribution Chassis, 7.0 " Height, 16.0" Deep, 19.0 " Length, Metal, Black, 1/pkg

Article Number	859-30053
Type	RNA6UXX-PD4UCN-XX.XX
Color	Black (BK)
Quantity Per	pack

Product Description	<p>The HellermannTyton 4U Distribution Chassis is designed for use with the RapidNet pre-terminated solution. The 4U panel accommodates up to 16 RapidNet cassettes covering a range of density requirements from high density 2,304 fibre MTP connections, standard density 384 fibre LC connections or 96 copper ports. The chassis has integrated front and rear cable management for patch cords, trunks and back bone cables with 8 side cable entry points each with a separate anchor point. The chassis is fitted with hinged front and rear doors with dedicated labelling fields for simple port and RapidNet loom identification. The front door can be removed to provide ease of access during initial implementation and installation. Sliding mounting brackets are supplied to allow forward and backward movement to suit the mounting post position within the rack or cabinet.</p>
Short Description	<p>RapidNet Distribution Chassis, 7.0 " Height, 16.0" Deep, 19.0 " Length, Metal, Black, 1/pkg</p>
Global Part Name	<p>RNA6UXX-PD4UCN-XX.XX</p>
Variant	<p>Modular Panels</p>
Width W (Imperial)	<p>19.01</p>
Width W (Metric)	<p>483</p>
Height H (Imperial)	<p>7.0</p>
Height H (Metric)	<p>176</p>
Depth D (Imperial)	<p>16.0</p>
Depth D (Metric)	<p>401</p>

Material	Metal (MET)
Material Shortcut	MET
UV Resistant (Yes/No)	No
Reach Compliant (Article 33)	No
Package Quantity (Imperial)	1
Package Quantity (Metric)	1
Customs Number	8538907080

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)