

## Specification Sheet

Part Number: ETST6610



Electrical Tape, .75" x 66' Roll, 7.0 mil Thick, PVC, White, 10 rolls/pkg

<b>Article Number</b>	904-00012
<b>Type</b>	ETST66
<b>Color</b>	White (WH)
<b>Features &amp; Benefits</b>	<ul style="list-style-type: none"> <li>• PVC Tape is ideal for general purpose electrical applications.</li> <li>• Economical way to splice, terminate and insulate wire and cables.</li> <li>• Meets Mil-Std. MIL-1-7798-A.</li> </ul>
<b>Quantity Per</b>	reel
<b>Product Description</b>	<p>PVC electrical tape provides fast and easy color coding, cable splicing, terminating, and wire insulating. These conformable high quality tapes have exceptional surface and adhesive characteristics. Tape is applied by overlapping each layer 50% and using tension. After the tape is adhered, the memory of the tape returns, tightening the seal and making the taped area even more waterproof.</p>
<b>Short Description</b>	Electrical Tape, .75" x 66' Roll, 7.0 mil Thick, PVC, White, 10 rolls/pkg

Global Part Name

ETST66-PVC-WH

Minimum Tensile Strength (Imperial)

15.4

Length L (Imperial)

66.0

Length L (Metric)

20.12

Width W (Imperial)

0.75

Width W (Metric)

19.05

Thickness T (Imperial)

7.0

Material

Flexible Polyvinyl Chloride (PVC)

Material Shortcut

PVC

US MIL SPEC

MIL-1-7798-A

Operating Temperature (Metric)

+20°F to 176°F (-7°C to +80°C)

UL Listed (US)

Yes

Package Quantity(Imperial)

10

Package Quantity (Metric)

10

**Customs Number**

3919102020

---

© 2019 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)