

## 105°C Super Vu-Tron® Supreme 300 and 600 Volt UL/CSA Portable Cord



\*Product images are for illustrative purposes only and may differ from the actual product.

### Category Conductor Description:

- #16/3C SJOOW 105C 300V VUTRON

### Category Jacket Description:

- NEOPRENE

### Category Insulation Description:

- Premium-grade, color-coded, oil-resistant 105°C EPDM

### Applications:

- Machine tools
- Power tools
- Dockside power applications
- Motor leads
- Portable machinery
- Cranes
- Submersible pumps

### Standards:

- UL Flexible Cord – UL Subject 62
- CSA Flexible Cord – C22.2-49
- MSHA Approved
- RoHS Compliant
- OSHA Acceptable

Color Code Chart	
# of Conductors	Color
1	Black
2	White
3	Green
4	Red
5	Orange

6	Lt Blue
7	White/Black Stripe
8	Red/Black Stripe
9	Green/Black Stripe
10	Orange/Black Stripe
11	Light Blue/Black Stripe
12	Black/White Stripe
13	Red/White Stripe
14	Green/White Stripe
15	Light Blue/White Stripe
16	Black/Red Stripe
17	White/Red Stripe
18	Orange/Red Stripe
19	Light Blue/Red Stripe
20	Red/Green Stripe
21	Orange/Green Stripe
22	Black
23	White
24	Green
25	Red

Selling Exclusively Through Distribution Since 1977 <sup>TM</sup> | phone: 800-292-OMNI | website: [omnicable.com](http://omnicable.com)

Atlanta • Boston • Charlotte • Chicago • Cincinnati • Denver • Houston • Los Angeles • Philadelphia • San Francisco • Seattle •

St. Louis • Tampa • Toronto

© 2020 Omni Cable LLC