

20 AWG – 7×28 Stranded Tinned Copper - Non-shielded

Multi-Conductor
Unshielded - 300 Volt
PVC Insulation - 80°C

Category Conductor Description:

- Tinned Copper 2 & 3 conductors - 300 Volt 4+ conductors - 600 Volt

Category Insulation Description:

- Polyvinyl Chloride (PVC)

Category Jacket Description:

- Gray, Polyvinyl Chloride (PVC) over cabled conductors

Applications:

- Applications include computers, communications, instrumentation, sound, control, audio, and data transmission
- Designed to protect signal integrity under critical conditions by reducing hum, noise, and crosstalk

Standards:

- UL Listed: 80°C
- Voltage: 300 Volt

| Color Code Chart | |
|------------------|--------|
| # of Conductors | Color |
| 1 | Black |
| 2 | White |
| 3 | Red |
| 4 | Green |
| 5 | Brown |
| 6 | Blue |
| 7 | Orange |
| 8 | Yellow |

| | |
|----|--------|
| 9 | Purple |
| 10 | Gray |
| 11 | Pink |
| 12 | Tan |

Part Number Table

| Part# | Gauge | Conductors | Stranding | Insulation Thickness | Jacket Thickness | Outside Diameter Inches | Material Weight (Lbs./M') |
|--------------|--------------|-------------------|------------------|-----------------------------|-------------------------|--------------------------------|----------------------------------|
| D92002 | 20 | 2 | 7x28 TC | 0.01 | 0.032 | 0.215 | 21 |
| D92004 | 20 | 4 | 7x28 TC | 0.013 | 0.032 | 0.217 | 29 |
| D92005 | 20 | 5 | 7x28 TC | 0.013 | 0.032 | 0.237 | 40 |
| D92007 | 20 | 7 | 7x28 TC | 0.013 | 0.032 | 0.256 | 53 |
| D92009 | 20 | 9 | 7x28 TC | 0.013 | 0.035 | 0.301 | 67 |
| D92012 | 20 | 12 | 7x28 TC | 0.013 | 0.035 | 0.336 | 88 |
| D92015 | 20 | 15 | 7x28 TC | 0.013 | 0.04 | 0.381 | 118 |

Note: The data shown is approximate and subject to standard industry and manufacturer tolerances *Ring Band Striping

Selling Exclusively Through Distribution Since 1977 TM | phone: 800-292-OMNI | website: omnicable.com
 Atlanta • Boston • Charlotte • Chicago • Cincinnati • Denver • Houston • Los Angeles • Philadelphia • San Francisco • Seattle •
 St. Louis • Tampa • Toronto
 © 2020 Omni Cable LLC