


Flexible and Portable Cord

90°C UL/CSA Type SJTOW – 300 Volt

90°C UL/CSA Type SJTOW - 300 Volt



*Product images are for illustrative purposes only and may differ from the actual product.

Category Conductor Description:

- Stranded Bare copper

Category Insulation Description:

- Premium-grade PVC

Category Jacket Description:

- Gray PVC

Applications:

- Portable tools
- Motors
- Floor maintenance equipment
- Hospital equipment
- Sound equipment
- Washing machines
- Portable lights
- Lamps and similar equipment

Standards:

- UL Flexible Cord – UL Subject 62
- MSHA Approved (where applicable)
- CSA
- RoHS Compliant

| Color Code Chart | |
|------------------|---------|
| # of Conductors | Color |
| 1 | Black |
| 2 | White |
| 3 | Green |
| 4 | Red |
| 5 | Orange |
| 6 | Lt Blue |

| | |
|----|-------------------------|
| 7 | White/Black Stripe |
| 8 | Red/Black Stripe |
| 9 | Green/Black Stripe |
| 10 | Orange/Black Stripe |
| 11 | Light Blue/Black Stripe |
| 12 | Black/White Stripe |
| 13 | Red/White Stripe |
| 14 | Green/White Stripe |
| 15 | Light Blue/White Stripe |
| 16 | Black/Red Stripe |
| 17 | White/Red Stripe |
| 18 | Orange/Red Stripe |
| 19 | Light Blue/Red Stripe |
| 20 | Red/Green Stripe |
| 21 | Orange/Green Stripe |
| 22 | Black |
| 23 | White |
| 24 | Green |
| 25 | Red |

Part Number Table

| Part# | Gauge | Conductors | Stranding | Outside Diameter Inches | Material Weight (Lbs./M') |
|------------|-------|------------|-----------|-------------------------|---------------------------|
| BTJ1802-06 | 18 | 2 | 16/30 | .290" | 42 |
| BTJ1803-06 | 18 | 3 | 16/30 | .305" | 54 |
| BTJ1603-06 | 16 | 3 | 26/30 | .330" | 70 |
| BTJ1403-06 | 14 | 3 | 41/30 | .365" | 92 |
| BTJ1203-06 | 12 | 3 | 65/30 | .430" | 132 |

Note: The information in this specification sheet is approximate and subject to standard industry and manufacturer tolerances. Please verify specific requirements with your Omni Cable account manager.

Selling Exclusively Through Distribution Since 1977 TM | phone: 800-292-OMNI | website: omnicable.com
Atlanta • Boston • Charlotte • Chicago • Cincinnati • Denver • Houston • Los Angeles • Philadelphia • San Francisco • Seattle •
St. Louis • Tampa • Toronto
© 2020 Omni Cable LLC