

SJEOOW/SJTOOW - 300V - Portable Cord

Type SJEOOW/SJTOOW
105°C - 300 Volt



*Product images are for illustrative purposes only and may differ from the actual product.

Category Conductor Description:

- Fully annealed stranded bare copper per ASTM B-174

Category Insulation Description:

- Thermoplastic Elastomer

Category Jacket Description:

- Thermoplastic Elastomer, black, white, or yellow
Temperature range: -50°C to 105°C

Applications:

- Indoor applications for:
 - Portable power tools
 - Industrial and consumer lighting fixtures
 - Office equipment power supplies
 - Construction site power
 - Industrial floor care equipment

Standards:

- UL and c(UL) Flexible Cord
- RoHS Compliant

Color Code Chart	
# of Conductors	Color
1	Black
2	White
3	Green
4	Red
5	Orange
6	Lt Blue
7	White/Black Stripe
8	Red/Black Stripe

9	Green/Black Stripe
10	Orange/Black Stripe
11	Light Blue/Black Stripe
12	Black/White Stripe
13	Red/White Stripe
14	Green/White Stripe
15	Light Blue/White Stripe
16	Black/Red Stripe
17	White/Red Stripe
18	Orange/Red Stripe
19	Light Blue/Red Stripe
20	Red/Green Stripe
21	Orange/Green Stripe
22	Black
23	White
24	Green
25	Red

Part Number Table

Part#	Gauge	Conductors	Stranding	Insulation Thickness	Outside Diameter Inches	Material Weight (Lbs./M')
BEJ1802	18	2	16/30	0.03	0.293	45
BEJ1803	18	3	16/30	0.03	0.31	50
BEJ1804	18	4	16/30	0.03	0.34	75
BEJ1602	16	2	26/30	0.03	0.319	55
BEJ1603	16	3	26/30	0.03	0.338	70
BEJ1604	16	4	26/30	0.03	0.372	85
BEJ1402	14	2	41/30	0.03	0.351	70
BEJ1403	14	3	41/30	0.03	0.372	85
BEJ1404	14	4	41/30	0.03	0.409	100
BEJ1202	12	2	65/30	0.03	0.419	90
BEJ1203	12	3	65/30	0.03	0.443	115
BEJ1204	12	4	65/30	0.03	0.486	145

Note: The information in this specification sheet is approximate and subject to standard industry and manufacturer tolerances. Please verify specific requirements with your Omni Cable account manager

Selling Exclusively Through Distribution Since 1977™ | phone: 800-292-OMNI | website: omnicable.com
Atlanta • Boston • Charlotte • Chicago • Cincinnati • Denver • Houston • Los Angeles • Philadelphia • San Francisco • Seattle •
St. Louis • Tampa • Toronto
© 2020 Omni Cable LLC