

## Specification Sheet

Part Number: MK9-221



Tough chromium steel components ensure longevity.

MK9 is military specified.

MK9-221 Replacement blade, 1/Pkg

Article Number 110-00221

Type MK9-221

Color Metal (ML)

Quantity Per bag

**Product Description**

Specifically developed for maximum ergonomic and performance values, the Mark 7 and Mark 9 series tools combine reduced hand effort and durable components to ensure efficient assembly and a longer life cycle. The Mark 7 tools are used with T18 through T50 series HellermannTyton cable ties. The Mark 9 tools can be used with nearly every HellermannTyton cable tie. Able to accommodate ties to .530" in width, the Mark 9 is used with HellermannTyton's T18\* series cable ties to the heavy duty ties, including the T250 series and EL-TY. High tension versions of both the Mark 9 and Mark 7 tools (MK9HT and MK7HT) offer the same design features as their standard counterparts but with higher cut-off tension capabilities. The Mark 9 and Mark 7 high tension tools both offer a 5/8" stroke.

Short Description MK9-221 Replacement blade, 1/Pkg

Global Part Name MK9-221-ST-ML

Tension Setting Tools Adjustable

Material Steel (ST)

Material Shortcut ST

UV Resistant (Yes/No) No

Reach Compliant (Article 33) No

ROHS Compliant Yes

Package Quantity (Imperial) 1

Package Quantity (Metric) 1

Customs Number 8205599000

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global

customers. HellermannTyton operates in 40 countries, with North American headquarters in Milwaukee, Wisconsin.  
([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

© 2024 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)